

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please CANCEL claims 2-4 and 17-26 and AMEND claims 1, 5-11 and 16 in accordance with the following:

1. (Currently Amended) A vacuum packaging film, comprising:  
a base layer; and  
a thermoforming layer laminated on the base layer and having protuberances on an ~~inner~~ first surface of the thermoforming layer to form air passages,  
wherein the protuberances have a first group of protuberances, and a second group of protuberances having a height higher than that of the first group of protuberances, and a third group of protuberances having a height higher than that of the second group of protuberances, and a fourth group of protuberances having a height higher than that of the third group of protuberances,  
wherein the first group of protuberances, the second group of protuberances, the third group of protuberances and the fourth group of protuberances have different arrangements arranged at various angles to form a pattern on the first surface of the thermoforming layer,  
wherein the first group of protuberances, the second group of protuberances, the third group of protuberances and the fourth group of protuberances have various sizes,  
wherein the first group of protuberances, the second group of protuberances, the third group of protuberances and the fourth group of protuberances have irregular shapes,  
wherein a layer printed with a pattern identical to that formed on the first surface of the thermoforming layer is transcribed onto an outer surface of the thermoforming layer.

2-4. (Cancelled).

5. (Currently Amended) The vacuum packaging film as defined in ~~claim 2~~ claim 1, wherein the patterns comprise a fruit shape.

6. (Currently Amended) The vacuum packaging film as defined in ~~claim 2~~claim 1, wherein the patterns comprise an animal shape.
7. (Currently Amended) The vacuum packaging film as defined in ~~claim 2~~claim 1, wherein the patterns comprise a character shape.
8. (Currently Amended) The vacuum packaging film as defined in ~~claim 2~~claim 1, wherein the patterns comprise a plant shape.
9. (Currently Amended) The vacuum packaging film as defined in ~~claim 2~~claim 1, wherein the patterns comprise a diagram shape.
10. (Currently Amended) The vacuum packaging film as defined in claim 1, wherein the first group of protuberances are each 0.8-1.5 times ~~thicker than~~as thick as a thickness of the thermoforming layer.
11. (Currently Amended) The vacuum packaging film as defined in claim 1, wherein the second group of protuberances are each 1.0-2.0 times ~~thicker than~~as thick as a thickness of the thermoforming layer.
12. (Original) The vacuum packaging film as defined in claim 1, further comprising an adhesive layer between the base layer and the thermoforming layer.
13. (Original) The vacuum packaging film as defined in claim 1, wherein the base layer comprises polyamide, polyester, or ethylene vinyl alcohol.
14. (Original) The vacuum packaging film as defined in claim 13, wherein the base layer comprises a multi-layered structure including at least one layer.
15. (Original) The vacuum packaging film as defined in claim 1, wherein the thermoforming layer comprises polyethylene.
16. (Currently Amended) The vacuum packaging film as defined in claim 1, wherein a surface of the thermoforming layer comprises a flat part, which is not embossed, the

first group of protuberances, and the second group of protuberances.

17-26. (Cancelled)

27. (Previously Presented) A vacuum packaging bag, comprising an upper sheet and a lower sheet superimposed mutually, in which lower edges and both side edges of the upper sheet and the lower sheet are sealed to form an inner chamber of the vacuum packaging bag, and upper edges of the upper sheet and the lower sheet are open to form an open part to receive contents into the vacuum packaging bag,

wherein at least one of the upper sheet and the lower sheet comprises the vacuum packaging film according to claim 1.

28. (Withdrawn) A method of manufacturing a vacuum packaging film, comprising the following steps of:

melt-extruding a thermoforming layer on a base layer made of an air-impermeable material through a nozzle of a T-die extruder, to prepare a film and

passing the film through a layering unit with a embossed roll having embossments and a cooling roll,

wherein the embossed roll of the layering unit has first group of embossments and second group of embossments, and thus the thermoforming layer has first group of protuberances and second group of protuberances on an inner surface thereof, corresponding to each position of the first group of embossments and the second group of embossments of the embossed roll, to form air passages.

29. (Withdrawn) A method of manufacturing a vacuum packaging film, comprising the following steps of:

passing a thermoforming layer through a protuberance-forming unit with a embossed roll having embossments and a flat roll, to form protuberances on an inner surface of the thermoforming layer and

passing a base layer made of an air-impermeable material and the thermoforming layer with the protuberances through a layering unit with two layering rolls,

wherein the embossed roll of the protuberance-forming unit has first group of embossments and second group of embossments, whereby the thermoforming layer passed through the protuberance-forming unit has first group of protuberances and second group of

protuberances on an inner surface thereof, corresponding to each position of the first group of embossments and the second group of embossments of the embossed roll, to form air passages.

30. (Withdrawn) The method as defined in claim 28, wherein the first group of embossments and the second group of embossments of the embossed roll have different arrangements arranged at different angles, to clearly show a pattern formed on the inner surface of the thermoforming layer.

31. (Withdrawn) The method as defined in claim 28, wherein the first group of embossments and the second group of embossments of the embossed roll have various sizes.

32. (Withdrawn) The method as defined in claim 28, wherein the first group of embossments and the second group of embossments of the embossed roll have different shapes.